



11005715A	14G891183A
<i>Container Identification</i>	<i>Laboratory Number</i>
<i>Sample Point Code</i>	<i>AGAT WDMS Number</i>
<i>Meter Code</i>	<i>Previous Number</i>
QUANTUM TECHNOLOGY	NOT AVAILABLE
<i>Operator Name</i>	<i>Sampling Point</i>
<i>Well Name</i>	<i>Unique Well Identifier</i>
<i>Well License</i>	<i>Well Status</i>
<i>Well Fluid Status</i>	<i>LSD</i>
NOT AVAILABLE	QUANTUM TECHNOLOGY
<i>Field or Area</i>	<i>Sampler's Company</i>
<i>Pool or Zone</i>	<i>Name of Sampler</i>
<i>Test Interval (mKB)</i>	<i>Elevation (m)</i>
<i>From</i> <i>To</i>	<i>KB</i> <i>GRD</i>
<i>Test Type</i>	<i>Test No.</i>
<i>Pressure (kPa)</i>	<i>Temperature (°C)</i>
1517 1400	21
<i>Source</i> <i>Received</i>	<i>Source</i> <i>Received</i>
Sep 10, 2014	Sep 18, 2014
<i>Date Sampled</i>	<i>Date Received</i>
Oct 02, 2014	Oct 02, 2014
<i>Date Analyzed</i>	<i>Date Reported</i>
Calgary - Vera Scherban - Reporter	
<i>Location - Approved By - Title</i>	

Other Information

COMPOSITION					PROPERTIES																																																																																																										
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Component</th> <th colspan="2">Mole Fraction</th> <th rowspan="2">Liquid Volume mL / m³</th> <th rowspan="2">Mole Fraction of Previous Analysis</th> </tr> <tr> <th>Air Free As Received</th> <th>Air & Acid Gas Free As Received</th> </tr> </thead> <tbody> <tr><td>H₂</td><td>0.0000</td><td>0.0000</td><td></td><td></td></tr> <tr><td>He</td><td>0.9950</td><td>0.9956</td><td></td><td></td></tr> <tr><td>N₂</td><td>0.0043</td><td>0.0043</td><td></td><td></td></tr> <tr><td>CO₂</td><td>0.0006</td><td>0.0000</td><td></td><td></td></tr> <tr><td>H₂S</td><td>0.0000</td><td>0.0000</td><td></td><td></td></tr> <tr><td>C₁</td><td>0.0001</td><td>0.0001</td><td></td><td></td></tr> <tr><td>C₂</td><td>0.0000</td><td>0.0000</td><td></td><td></td></tr> <tr><td>C₃</td><td>0.0000</td><td>0.0000</td><td>0.0</td><td></td></tr> <tr><td>iC₄</td><td>0.0000</td><td>0.0000</td><td>0.0</td><td></td></tr> <tr><td>nC₄</td><td>0.0000</td><td>0.0000</td><td>0.0</td><td></td></tr> <tr><td>iC₅</td><td>0.0000</td><td>0.0000</td><td>0.0</td><td></td></tr> <tr><td>nC₅</td><td>0.0000</td><td>0.0000</td><td>0.0</td><td></td></tr> <tr><td>C₆</td><td>0.0000</td><td>0.0000</td><td>0.0</td><td></td></tr> <tr><td>C₇₊</td><td>0.0000</td><td>0.0000</td><td>0.0</td><td></td></tr> <tr><td>TOTAL</td><td>1.0000</td><td>1.0000</td><td>0.0</td><td></td></tr> </tbody> </table>					Component	Mole Fraction		Liquid Volume mL / m ³	Mole Fraction of Previous Analysis	Air Free As Received	Air & Acid Gas Free As Received	H ₂	0.0000	0.0000			He	0.9950	0.9956			N ₂	0.0043	0.0043			CO ₂	0.0006	0.0000			H ₂ S	0.0000	0.0000			C ₁	0.0001	0.0001			C ₂	0.0000	0.0000			C ₃	0.0000	0.0000	0.0		iC ₄	0.0000	0.0000	0.0		nC ₄	0.0000	0.0000	0.0		iC ₅	0.0000	0.0000	0.0		nC ₅	0.0000	0.0000	0.0		C ₆	0.0000	0.0000	0.0		C ₇₊	0.0000	0.0000	0.0		TOTAL	1.0000	1.0000	0.0		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="5">Calculated Heating Value @15 °C & 101.325 kPa (MJ/m³)</th> </tr> <tr> <th colspan="3">Gross</th> <th colspan="2">Net</th> </tr> </thead> <tbody> <tr> <td>0.00</td> <td>0.00</td> <td>0.00</td> <td>0.00</td> <td>0.00</td> </tr> <tr> <td><i>Air Free as Received</i></td> <td><i>Moisture & Acid Gas Free</i></td> <td><i>C₇₊ Moisture Free</i></td> <td><i>Air Free as Received</i></td> <td><i>Moisture & Acid Gas Free</i></td> </tr> </tbody> </table>					Calculated Heating Value @15 °C & 101.325 kPa (MJ/m ³)					Gross			Net		0.00	0.00	0.00	0.00	0.00	<i>Air Free as Received</i>	<i>Moisture & Acid Gas Free</i>	<i>C₇₊ Moisture Free</i>	<i>Air Free as Received</i>	<i>Moisture & Acid Gas Free</i>
Component	Mole Fraction		Liquid Volume mL / m ³	Mole Fraction of Previous Analysis																																																																																																											
	Air Free As Received	Air & Acid Gas Free As Received																																																																																																													
H ₂	0.0000	0.0000																																																																																																													
He	0.9950	0.9956																																																																																																													
N ₂	0.0043	0.0043																																																																																																													
CO ₂	0.0006	0.0000																																																																																																													
H ₂ S	0.0000	0.0000																																																																																																													
C ₁	0.0001	0.0001																																																																																																													
C ₂	0.0000	0.0000																																																																																																													
C ₃	0.0000	0.0000	0.0																																																																																																												
iC ₄	0.0000	0.0000	0.0																																																																																																												
nC ₄	0.0000	0.0000	0.0																																																																																																												
iC ₅	0.0000	0.0000	0.0																																																																																																												
nC ₅	0.0000	0.0000	0.0																																																																																																												
C ₆	0.0000	0.0000	0.0																																																																																																												
C ₇₊	0.0000	0.0000	0.0																																																																																																												
TOTAL	1.0000	1.0000	0.0																																																																																																												
Calculated Heating Value @15 °C & 101.325 kPa (MJ/m ³)																																																																																																															
Gross			Net																																																																																																												
0.00	0.00	0.00	0.00	0.00																																																																																																											
<i>Air Free as Received</i>	<i>Moisture & Acid Gas Free</i>	<i>C₇₊ Moisture Free</i>	<i>Air Free as Received</i>	<i>Moisture & Acid Gas Free</i>																																																																																																											
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="5">Calculated Density</th> </tr> <tr> <th colspan="3">Relative</th> <th colspan="2">Absolute</th> </tr> </thead> <tbody> <tr> <td>0.143</td> <td>0.142</td> <td>0.000</td> <td>0.0</td> <td>0.175</td> </tr> <tr> <td><i>Moisture Free As Received</i></td> <td><i>Moisture & Acid Gas Free</i></td> <td><i>C₇₊ Moisture Free</i></td> <td><i>C₇₊ Density (kg/m³)</i></td> <td><i>Total Sample Density (kg/m³)</i></td> </tr> </tbody> </table>					Calculated Density					Relative			Absolute		0.143	0.142	0.000	0.0	0.175	<i>Moisture Free As Received</i>	<i>Moisture & Acid Gas Free</i>	<i>C₇₊ Moisture Free</i>	<i>C₇₊ Density (kg/m³)</i>	<i>Total Sample Density (kg/m³)</i>																																																																																							
Calculated Density																																																																																																															
Relative			Absolute																																																																																																												
0.143	0.142	0.000	0.0	0.175																																																																																																											
<i>Moisture Free As Received</i>	<i>Moisture & Acid Gas Free</i>	<i>C₇₊ Moisture Free</i>	<i>C₇₊ Density (kg/m³)</i>	<i>Total Sample Density (kg/m³)</i>																																																																																																											
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="4">Calculated Pseudo Critical Properties</th> </tr> <tr> <th colspan="2">As Sampled</th> <th colspan="2">Acid Gas Free</th> </tr> </thead> <tbody> <tr> <td>245.9</td> <td>5.9</td> <td>241.6</td> <td>5.7</td> </tr> <tr> <td><i>pPc (kPa)</i></td> <td><i>pTc (K)</i></td> <td><i>pPc (kPa)</i></td> <td><i>pTc (K)</i></td> </tr> </tbody> </table>					Calculated Pseudo Critical Properties				As Sampled		Acid Gas Free		245.9	5.9	241.6	5.7	<i>pPc (kPa)</i>	<i>pTc (K)</i>	<i>pPc (kPa)</i>	<i>pTc (K)</i>																																																																																											
Calculated Pseudo Critical Properties																																																																																																															
As Sampled		Acid Gas Free																																																																																																													
245.9	5.9	241.6	5.7																																																																																																												
<i>pPc (kPa)</i>	<i>pTc (K)</i>	<i>pPc (kPa)</i>	<i>pTc (K)</i>																																																																																																												
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3">Hydrogen Sulfide (H₂S) (ppm)</th> </tr> <tr> <th>Field Value</th> <th>Laboratory Value</th> <th>g/m³</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td><i>Stain Tube</i></td> <td><i>Tutweiler</i></td> <td><i>Other</i></td> </tr> <tr> <td></td> <td></td> <td><i>GC-SCD</i></td> </tr> </tbody> </table>					Hydrogen Sulfide (H ₂ S) (ppm)			Field Value	Laboratory Value	g/m ³			0.00	<i>Stain Tube</i>	<i>Tutweiler</i>	<i>Other</i>			<i>GC-SCD</i>																																																																																												
Hydrogen Sulfide (H ₂ S) (ppm)																																																																																																															
Field Value	Laboratory Value	g/m ³																																																																																																													
		0.00																																																																																																													
<i>Stain Tube</i>	<i>Tutweiler</i>	<i>Other</i>																																																																																																													
		<i>GC-SCD</i>																																																																																																													
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Calculated Molecular Weight (Moisture Free as Received) (g/mol)</th> </tr> </thead> <tbody> <tr> <td>4.1</td> <td>0.0</td> </tr> <tr> <td><i>Total Sample</i></td> <td><i>C₇₊ Fraction</i></td> </tr> </tbody> </table>					Calculated Molecular Weight (Moisture Free as Received) (g/mol)		4.1	0.0	<i>Total Sample</i>	<i>C₇₊ Fraction</i>																																																																																																					
Calculated Molecular Weight (Moisture Free as Received) (g/mol)																																																																																																															
4.1	0.0																																																																																																														
<i>Total Sample</i>	<i>C₇₊ Fraction</i>																																																																																																														
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Calculated Vapour Pressure</th> </tr> </thead> <tbody> <tr> <td>0.00</td> </tr> <tr> <td><i>C₃₊ (kPa)</i></td> </tr> </tbody> </table>			Calculated Vapour Pressure	0.00	<i>C₃₊ (kPa)</i>	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Gas Compressibility</th> </tr> </thead> <tbody> <tr> <td>1.0005</td> </tr> <tr> <td><i>@15 °C & 101.325 kPa</i></td> </tr> </tbody> </table>		Gas Compressibility	1.0005	<i>@15 °C & 101.325 kPa</i>																																																																																																					
Calculated Vapour Pressure																																																																																																															
0.00																																																																																																															
<i>C₃₊ (kPa)</i>																																																																																																															
Gas Compressibility																																																																																																															
1.0005																																																																																																															
<i>@15 °C & 101.325 kPa</i>																																																																																																															

WDMS Data Verification Check **Exceeds normal limits :He**

Results relate only to items tested. Analysis and associated calculations are based on GPA 2261, GPA 2286, GPA 2145, AGA #5, and TP-17.